



The 2023 album of PORSSA Porcelain Slabs

PORSSA



Calacatta Michelangelo P820



Calacatta Reale P637



Shadow P631



Calacatta Borghini P573



Pure White P028



Pearl Onyx P107



Amazon Green P311




Dove Gray P663




Amazon Gray P683



Livid Gray P557



Twilight Gray P555



Marquina Select P203



Patagonia P109



Calacatta Viola P207



Crystal P379



Elegant White P377



Iceberg P323



Port Gold P200




Travertine Ivory P327h



Macchia Vecchia P570



Taj Mahal P325h



Sahara Noire P202



Antique Brown P101

PORSSA



A radiant, pure material - infused with rich, carefully balanced patterns and veining - becomes a stylish, versatile option for the creation of counter tops and custom-made furniture with timeless appeal. The polished finish produces a high-gloss effect that remains the same over time, as the material is impervious to acids and solvents. Beauty and practicality come together to create outstanding new interior designs.



PORSSA slabs are functional and practical surfaces that guarantee and support any kind of creation. Unlike other surfaces, these slabs are suitable for contact with food; they are hygienic, stainproof, mold proof, resistant to chemicals, acids, bases and solvents and easy to clean. No special care is needed during daily use.



The strength and durability of PORSSA makes it suitable for outdoor furnishings as well. A perfect way to give a fresh look and unique personality to outdoors. The brushed surface offers sophisticated look, strength, practicality and experience new ways of living in harmony with nature.



PORSSA slabs are suitable for all kinds of weather; they are not affected by high temperatures, and they're scratchproof and completely waterproof. These slabs withstand UV rays.

Suitable for indoor and outdoor use





P570 (polished)

Macchia Vecchia - (bookmatched pair)



P202 (polished)

Sahara Noire



P101 (polished)

Antique Brown



P325h (honed)

Taj Mahal



P327h (honed)

Travertine Ivory



P573 (polished)



P573h (honed)

Calacatta Borghini - (bookmatched pair)



P820 (polished)



P820h (honed)

Calacatta Michelangelo - (bookmatched pair)



P637 (polished)

Calacatta Reale - (bookmatched pair)




P107 (polished)

Pearl Onyx - (bookmatched pair)




P200 (polished)




P200h (honed)

Port Gold - (bookmatched pair)



P203 (polished)



P203h (honed)

Marquina Select - (bookmatched pair)



P379 (polished)




P379h (honed)

Crystal



P323 (polished)

Iceberg



P028 (polished)

Pure White




P557b (brushed)

Livid Gray



P555b (brushed)

Twilight Gray




P631 (polished)

Shadow - (bookmatched pair)




P109 (polished)

Patagonia - (bookmatched pair)




Amazon Green - (bookmatched pair)



P207 (polished)

Calacatta Viola - (bookmatched pair)



P3771 (polished)

Elegant White - (bookmatched pair)

Technical Specifications

| | PORSSA values | | Test method |
|----------------------------|---|---|--------------------------------|
| | Honed 12 mm | Polished 12 mm | |
| Density | 2500 kg/m ³ average value | 2500 kg/m ³ average value | EN 14617-1 ASTM C97 |
| Water Absorption | 0,1 % average value | 0,1 % average value | EN 14617-1 |
| Bending strength | 50 MPa average value | 50 MPa average value | EN 14617-2 |
| Frost resistance | Resistant | Resistant | EN 14617-5 |
| Dry heat resistance | 5 No visible effect till 200°C | 5 No visible effect till 200°C | EN 12722 EN 438-2 par.16 |
| Chemical resistance | From class A to B | From class A to C | ISO 10545-13 |
| | Resistant | Resistant (except ink and methylene blue) | ASTM C650 |
| Cold liquid resistance | 5 No visible effect except ink (2) | From class 5 to 2 | EN 12720 |
| Cleaner product resistance | 5 No visible effect | From class 5 to 3 | PTP 53 CATAS |
| Abrasion resistance | 28,0 mm | 28,0 mm | EN 14617-4 |
| Hygiene properties | Excellent (high degree of removal of bacterial cells >99% after cleaning with a biocide-free detergent) | Excellent (high degree of removal of bacterial cells >99% after cleaning with a biocide-free detergent) | CATAS method |
| Resistance to fungus | No fungal growth | No fungal growth | ASTM G21 |
| Lead and cadmium given off | 0 mg / dm ³ | 0 mg / dm ³ | ISO 10545-15 |
| Overall migration | 0 mg/dm ² 0 mg/dm ² no significant migration | 0 mg/dm ² 0 mg/dm ² no significant migration | UNI EN 1186 |
| VOC emission | class A+ French | class A+ French | UNI EN 16000-9 |
| Shock resistance | No damage to ball drop 400mm | No damage to ball drop 400mm | ISO 4211-4 EN 14617-9 |
| | 3 J average value | 3 J average value | |
| Light resistance | 5 No visible effect | 5 No visible effect | UNI EN 15187 |
| Thermal shock resistance | Resistant | Resistant | EN 14617-6 |
| Resistance to staining | Resistant | Resistant (except potassium hydroxide) | ASTM C1378 |

ADVANTAGES OF PORSSA

- › hygienic and suitable for contact with food
- › easy to clean
- › scratchproof and abrasion-resistant
- › totally waterproof
- › resistant to chemicals, acids, bases, and solvents
- › stainproof
- › resistant to mould, mildew, and fungus
- › impact-resistant
- › resistant to heat and high temperatures
- › frostproof
- › suitable for use **indoors** and **outdoors**
- › UV-resistant
- › guaranteed flatness and stability over time



PORSSA

Size - 126" x 63" x 1/2"

7733 Lemona Ave
Van Nuys, CA 91405
tel: (818) 901-8206
www.porssausa.com

